

**Notice of Allowability**

Application No.

10/758,899

Examiner

Brian Ensey

Applicant(s)

LICHTBLAU, GEORGE JAY

Art Unit

2646

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment received 12/16/05.
2. ☒ The allowed claim(s) is/are 16-30 renumbered 1-15.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |   |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|   | 9. <input type="checkbox"/> Other _____   |

## **DETAILED ACTION**

### ***Terminal Disclaimer***

The terminal disclaimer filed on 12/16/05 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent No. 6,714,654 has been reviewed and is accepted. The terminal disclaimer has been recorded.

### ***Allowable Subject Matter***

The following is an examiner's statement of reasons for allowance: The present invention is directed to a hearing aid operative to cancel sounds propagating through the hearing aid case. Independent claim 16 identifies the uniquely distinct feature of a second microphone fixed to the hearing aid case and sealed to receive only sounds propagating through the case and not those sound propagating through the air and a subtractive circuit such that only the sound received through the air is passed. The closest prior art, Weinrich (US 5201006) teaches a hearing aid with multiple input microphone to provide noise cancellation for situations when the user is chewing or yawning, creating various possible paths from the output duct past the housing of the hearing aid to the primary microphone. This fails to anticipate or render the independent claims obvious.

The following references were cited: Arndt et al. (US 6421448) which teaches a hearing aid with a pair of microphones which match and filter received signals; Neilsen et al. (US 2003/0007647) which teaches a hearing aid with a self test capability; Adelman (US 5390254) which teaches a hearing aid with a voice input device and an accelerometer to sense vibration

Art Unit: 2646

and provide noise cancellation due to the vibratory input; Aoki et al. (US 5933506) which teaches a hearing aid with a microphone for picking up air conducted sound and a bone conduction transducer for picking up bone conducted sound to provide noise cancellation for the air conducted sound; and Nemirovski (US 2002/0141602 and 2002/0143242) which teach using a sensor to measure changes in air pressure within the ear and produce an output in direct relation to the air pressure change.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Ensey whose telephone number is 571-272-7496. The examiner can normally be reached on Monday - Friday 6:30 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on 571-272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

**Any response to this action should be mailed to:**

Commissioner of Patents and Trademarks  
P.O. Box 1450  
Alexandria, Va. 22313-1450

**Or faxed to:**

(571) 273-8300, for formal communications intended for entry and for informal or draft communications, please label "PROPOSED" or "DRAFT".  
Hand-delivered responses should be brought to:


Customer Service Window  
Randolph Building  
401 Dulany Street

Art Unit: 2646

Arlington, VA 22314

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BKE  
January 03, 2006



**SINH TRAN**  
**SUPERVISORY PATENT EXAMINER**